

# MOLDEX<sup>®</sup>


FRONTLINE<sup>™</sup>  
BY MOLDEX<sup>®</sup>

Respiratory, Hearing and Eye Protection  
for Healthcare Professionals



MOLDEX





# WELCOME TO FRONTLINE

## HEALTHCARE PPE BY MOLDEX

The medical industry's dedicated and passionate frontline workers provide expertise, care and compassion, delivering life-saving services to those in need. At Moldex, we believe they deserve the best protection and comfort available.

Moldex proudly offers FRONTLINE healthcare PPE. Whether it's respirators, hearing protection or eyewear, there's one constant: protection that's so comfortable and reliable that it doesn't need a second thought.

## THE MOLDEX STORY

Since the 1980s, Moldex has produced innovative personal protection with worker safety and comfort at the foundation. The reason is simple: we believe people who use comfortable PPE will be safer, happier and healthier—both at work and at home.

For those who trust Moldex on the job, they enjoy a comfortability that increases compliance, a reduced total cost of ownership and a staff that feels better protected.

The majority of our products are made in the USA, and we strive to create best-in-class solutions to the demands of changing environments.



# MORE AIR. MORE WEAR.

## AirWave® Healthcare Surgical N95 Particulate Respirators

The first time you try on an AirWave disposable respirator, you get the sense that it's different—and you're right. Here's why.

### MORE WORKER COMFORT

- Patented wave construction boosts air flow and breathability
- Unique FlexFit® design moves as your face moves
- Adjustable latex-free SmartStrap® allows for a custom fit
- Metal-free; safe for MRI rooms and other similar applications
- Two distinct mask sizes fit for a more diverse workforce
- Unique contour molded design ensures that wearers fit test the same shape as the mask they wear all day
- All Moldex masks are pinch-free, with no need for metal nosebands that require initial and consistent adjustment by the wearer

### MORE FACILITY COMPLIANCE

- Class 2 Medical Device, cleared by the FDA
- NIOSH approved, 95% effective against non-oil solid and liquid particulates
- Meets CDC guidelines for TB exposure control standards and protection against laser plumes of surgical smoke
- The SmartStrap lets the mask hang around the neck when not in use
- Dura-Mesh® shell protects the filter media longer, and is collapse-resistant so it holds its shape over time
- Bacterial Filtration Efficiency exceeds ASTM F2101
- Highest ASTM level of fluid resistance (160 mm Hg)

### POTENTIAL HEALTHCARE APPLICATIONS\*

Surgery, hospitals and healthcare facilities, nurse/hospice care, correctional facilities, police, fire and rescue teams, EMS/EMT, homeless shelters, occupational health facilities, school healthcare offices, dentistry, orthodontics and oral surgeons.

\*Always refer to warnings, limitations and restrictions before using any Moldex mask in any environment or application. Please refer to product packaging or [Moldex.com](http://Moldex.com) for more information on the proper use of Moldex respirators.



✓ Soft foam full-face flange on 4150 and 4151 models




✓ Hangable non-latex SmartStrap allows convenient storage around the neck when not in use

**AIRWAVE FOR ULTIMATE COMFORT**

With AirWave, healthcare professionals get protection and comfort, and employers get a respirator that is worn longer by happier people on the frontline. Try it once and feel the difference.

- ✓ Adjustable SmartStrap® for a custom, fit-friendly wear
- ✓ Outer Dura-Mesh® keeps the respirator clean
- ✓ Filter media is protected by the dual Dura-Mesh layers
- ✓ Inner Dura-Mesh prevents collapsing due to heat and humidity
- ✓ Softspun® lining provides comfort against face



| AIRWAVE     |      |             |                                 |                  |               |
|-------------|------|-------------|---------------------------------|------------------|---------------|
| PART NUMBER | SIZE | FLANGE TYPE | ADJUSTMENT CLIP COLOR           | DISPLAY QUANTITY | CASE QUANTITY |
| 4150        | M/L  | full        | gray                            | 10/box           | 10 Boxes      |
| 4151        | S    | full        | white                           | 10/box           | 10 Boxes      |
| 4650        | M/L  | nose        | gray                            | 10/box           | 10 Boxes      |
| 4651        | S    | nose        | white                           | 10/box           | 10 Boxes      |
| PART NUMBER |      |             | DESCRIPTION                     |                  |               |
| 0102        |      |             | BITTER Qualitative Fit Test Kit |                  |               |

S = Small    M/L = Medium/Large

Please contact Moldex Technical Services about Quantitative Fit Testing options.



# SUPERIOR COMFORT

## 1500 Series Healthcare Surgical N95 Particulate Respirators

Humans aren't one-size-fits-all, so their respirators shouldn't be, either. The Moldex 1500 Series comes in five distinct sizes, all with a foundation of fit and durability that brings comfort to workers and lower costs to purchasers.

### 1500 SERIES ADVANTAGES

- Five sizes: extra small, small, medium, large, low-profile nose bridge
- Straps do not contain natural rubber latex
- The durable Dura-Mesh shell keeps the mask looking cleaner and holding its shape
- Pinch-free contoured nose bridge

### UP TO THE TASK

- Meets CDC guidelines for protection against TB control standards and protection against laser plumes of surgical smoke
- NIOSH approved, 95% effective against non-oil based particulates
- Highest ASTM level of fluid resistance (160 mm Hg)

### POTENTIAL HEALTHCARE APPLICATIONS\*


Surgery, hospitals and healthcare facilities, nurse/hospice care, correctional facilities, police, fire and rescue teams, EMS/EMT, homeless shelters, occupational health facilities, school healthcare offices, dentistry, orthodontics and oral surgeons.

\*Always refer to warnings, limitations and restrictions before using any Moldex mask in any environment or application. Please refer to product packaging or [Moldex.com](http://Moldex.com) for more information on the proper use of Moldex respirators.




- ✓ Pinch-free nose bridge

- ✓ Soft foam nose cushion
- ✓ Non-latex straps
- ✓ Filter media is protected by the dual Dura-Mesh layers
- ✓ Inner Dura-Mesh prevents collapsing due to heat and humidity
- ✓ Softspun lining provides comfort against face



- ✓ Outer Dura-Mesh keeps the respirator clean



| 1500 SERIES |      |             |                                 |                  |               |
|-------------|------|-------------|---------------------------------|------------------|---------------|
| PART NUMBER | SIZE | STRAP COLOR | FLANGE TYPE                     | DISPLAY QUANTITY | CASE QUANTITY |
| 1510 N95    | XS   | Yellow      | Nose                            | 20/box           | 8 Boxes       |
| 1511 N95    | S    | White       | Nose                            | 20/box           | 8 Boxes       |
| 1512 N95    | M    | Blue        | Nose                            | 20/box           | 8 Boxes       |
| 1513 N95    | L    | Tan         | Nose                            | 20/box           | 8 Boxes       |
| 1517 N95    | LP   | Green       | Nose                            | 20/box           | 8 Boxes       |
| PART NUMBER |      |             | DESCRIPTION                     |                  |               |
| 0102        |      |             | BITTER Qualitative Fit Test Kit |                  |               |

XS = Small S = Small M/L = Medium/Large  
L = Large LP = Low Profile Nose Bridge

Please contact Moldex Technical Services about Quantitative Fit Testing options.



# A DIFFERENCE YOU CAN FEEL

## Non-Surgical Disposable Respirators

If your team does not need the fluid resistance that comes with Moldex surgical masks—but does need all the comfort and protection Moldex can provide—explore the 4600 N95 AirWave and the 2200 N95.

### 4600 N95 AIRWAVE SERIES

#### COMFORT

- Exclusive easy-breathing wave design
- Less resistance, better breathability
- SmartStrap allows you to adjust for a custom fit, or hang the mask around the neck when not in use
- Metal-free; molded nose bridge seals easily without a metal noseband
- Face piece is naturally contoured for less pressure
- FlexFit design moves easily with your face and stays in place
- Soft foam nose cushion for added comfort

#### COMPLIANCE

- Dura-Mesh shell resists collapsing in heat and humidity
- NIOSH certified to have a filter efficiency of 95% or greater for non-oil based particulates
- Certified under 42CFR84
- Meets heat and flame resistance in accordance with ANSI/ISEA 110-2009 Section 7.11.1
- 100% PVC-Free, like all Moldex products and packaging—a greener alternative
- Longer use means less waste, fewer respirators used and lower costs

| 4600 N95 SERIES |      |             |             |                  |               |
|-----------------|------|-------------|-------------|------------------|---------------|
| PART NUMBER     | SIZE | STRAP COLOR | FLANGE TYPE | DISPLAY QUANTITY | CASE QUANTITY |
| 4600 N95        | M/L  | Blue        | Nose        | 10/box           | 10 Boxes      |
| 4601 N95        | S    | Blue        | Nose        | 10/box           | 10 Boxes      |

M/L = Medium/Large

S = Small

LP = Low Profile Nose Bridge

\*Always refer to warnings, limitations and restrictions before using any Moldex mask in any environment or application. Please refer to product packaging or [Moldex.com](https://www.moldex.com) for more information on the proper use of Moldex respirators.

\*These products contain natural rubber latex.



2200 N95 Series

4600 N95 AirWave Series

## 2200 N95 SERIES

### COMFORT

- Molded nose bridge seals easily without metal noseband.
- Contoured face piece for less pressure
- Straps are securely attached so they don't break at the seal
- Softspun lining for increased comfort and durability
- Soft foam nose cushion for added comfort

### COMPLIANCE

- Dura-Mesh shell resists collapsing or deforming
- Available in three sizes to fit more workers and increase OSHA compliance
- NIOSH certified to have a filter efficiency of 95% or greater for non-oil based particulates
- Certified under 42CFR84
- Meets heat and flame resistance in accordance with ANSI/ISEA 110-2009 Section 7.11.1
- 100% PVC-Free

| 2200 N95 SERIES |      |             |             |                  |               |
|-----------------|------|-------------|-------------|------------------|---------------|
| PART NUMBER     | SIZE | STRAP COLOR | FLANGE TYPE | DISPLAY QUANTITY | CASE QUANTITY |
| 2200 N95        | M/L  | Blue        | Nose        | 20/box           | 12 Boxes      |
| 2201 N95        | S    | White       | Nose        | 20/box           | 12 Boxes      |
| 2207 N95        | LP   | Green       | Nose        | 20/box           | 12 Boxes      |

M/L = Medium/Large

S = Small

LP = Low Profile Nose Bridge

- ✓ SmartStrap allows you to adjust for a custom fit



# ADAPT™

## EYEWEAR EVOLVED

### ADAPT Safety Glasses for Healthcare Professionals

With ADAPT eyewear, healthcare professionals finally have a brilliantly-designed, comfortable and protective option that does the job—with or without a mask. Try them out for yourself and see the difference.

#### AWARD-WINNING DESIGN

- Soft flexible flange helps protect against flying particles
- Toric lens shape for a closer fit
- Reduced lens dimensions for added space in the nose bridge area, allowing for comfortable fit with a respirator
- UV and high anti-scratch coatings
- Premium anti-fog coating helps keep vision clear
- Meets the following standards: ANSI Z87.1, CSA Z94.3 and AS/NZS 1337.1

#### WELCOME COMFORT

- Unique soft flexible flange means no cumbersome nose pad
- Flexible soft grip temples
- Ultra-light construction





\*Always refer to warnings, limitations and restrictions before using any Moldex Adapt eyewear. Please refer to product packaging or [Moldex.com](http://Moldex.com) for more information on the proper use of Moldex Adapt eyewear.

| ADAPT       |             |       |                  |                      |               |
|-------------|-------------|-------|------------------|----------------------|---------------|
| PART NUMBER | OVERMOLD    | LENS  | QUANTITY PER BAG | QUANTITY PER DISPLAY | CASE QUANTITY |
| 5002C-2     | Overmold    | Clear | 1/Bag            | 12/Box               | 6 Boxes       |
| 5001S-1     | No Overmold | Smoke | 1/Bag            | 12/Box               | 6 Boxes       |



# CONVENIENT DISPENSING

## Moldex Earplugs with TouchFree EcoStation®

In healthcare settings where noise is a concern, Moldex earplugs provide welcome comfort and protection throughout the shift. And with the Touchfree EcoStation earplug dispenser, ideal levels of hygiene are dispensed as well.

- First-ever touchfree earplug dispenser
- Dispenses your choice of Softies®, SparkPlugs®, Pura-Fit® and Meteors® earplugs
- NRR 33db
- The most hygienic way to receive a pair of earplugs
- Battery operated, easy install, mounting bracket included
- Compatible with Moldex Magnetic Brackets for increased versatility
- Convenient enough to hang everywhere and anywhere

### Disposable Foam Earplug Options

EXPLORE A RANGE OF COMFORTABLE AND EFFECTIVE EARPLUGS TO FIND THE BEST FIT



**Pura-Fit** - Customer favorite for its longer length, easy fit and removal, and soft foam.



**SparkPlugs** - Comfort-forward with extra soft, low-pressure foam and a non-irritating smooth surface.



**Softies** - Compliance made easy. Radiant orange color with tapered shape for easy insertion and removal.



**Meteors** - Contoured fit with innovative undercut design affords a secure fit, all day long.



## ECOSTATION

Make hearing compliance a convenient choice with our quick access and easy-to-use EcoStation. The easy snap-in refill can be changed in seconds, and the empty bottles are 100% recyclable. In addition to the original EcoStation, we also offer the TouchFree EcoStation, the first ever touchfree earplug dispensing solution.



| MAGNETIC BRACKETS |                |                    |               |
|-------------------|----------------|--------------------|---------------|
| PART NUMBER       | DESCRIPTION    | DISPLAY QUANTITY   | CASE QUANTITY |
| 6868              | Single Bracket | 1 Bracket/Envelope | 1 Envelope    |
| 6869              | Double Bracket | 1 Bracket/Box      | 1 Box         |

| TOUCHFREE ECOSTATION |                                 |                         |                       |      |     |
|----------------------|---------------------------------|-------------------------|-----------------------|------|-----|
| PART NUMBER          | DESCRIPTION                     | QUANTITY PER DISPENSER  | QUANTITY PER CASE     | NRR  | CSA |
| 6831                 | Softies TouchFree EcoStation    | 500 pairs per dispenser | 4 dispensers per case | 33dB | AL  |
| 6833                 | SparkPlugs TouchFree EcoStation | 500 pairs per dispenser | 4 dispensers per case | 33dB | AL  |
| 6835                 | Pura-Fit TouchFree EcoStation   | 500 pairs per dispenser | 4 dispensers per case | 33dB | AL  |
| 6837                 | Meteors TouchFree EcoStation    | 500 pairs per dispenser | 4 dispensers per case | 33dB | AL  |
| ECOSTATION           |                                 |                         |                       |      |     |
| PART NUMBER          | DESCRIPTION                     | QUANTITY PER DISPENSER  | QUANTITY PER CASE     | NRR  | CSA |
| 6701                 | Softies EcoStation              | 500 pairs per dispenser | 4 dispensers per case | 33dB | AL  |
| 6703                 | SparkPlugs EcoStation           | 500 pairs per dispenser | 4 dispensers per case | 33dB | AL  |
| 6705                 | Pura-Fit EcoStation             | 500 pairs per dispenser | 4 dispensers per case | 33dB | AL  |
| 6707                 | Meteors EcoStation              | 500 pairs per dispenser | 4 dispensers per case | 33dB | AL  |
| ECOSTATION REFILL    |                                 |                         |                       |      |     |
| PART NUMBER          | DESCRIPTION                     | QUANTITY PER DISPENSER  | QUANTITY PER CASE     | NRR  | CSA |
| 6702                 | Softies Refill                  | 500 pairs per refill    | 4 refills per case    | 33dB | AL  |
| 6704                 | SparkPlugs Refill               | 500 pairs per refill    | 4 refills per case    | 33dB | AL  |
| 6706                 | Pura-Fit Refill                 | 500 pairs per refill    | 4 refills per case    | 33dB | AL  |
| 6708                 | Meteors Refill                  | 500 pairs per refill    | 4 refills per case    | 33dB | AL  |



# COMFORT AT EVERY CORNER


Easy and Helpful Training,  
Fit Testing and Support

## TRAINING

### Moldex's Train-the-Trainer Program

- Train and certify a designated employee at your company to perform on-site fit testing for your workers
- Qualitative and quantitative programs
- Training includes materials to assist in creating a respiratory protection program

| FIT TESTING SUPPLIES AND RESOURCES |                                              |
|------------------------------------|----------------------------------------------|
| PART NUMBER                        | DESCRIPTION                                  |
| 0102                               | BITTER Qualitative Fit Test Kit*             |
| 8000-715                           | Respirator Selection Guide*                  |
| 0201                               | Hood*                                        |
| 0301                               | Sensitivity Nebulizer*                       |
| 0302                               | Fit Testing Nebulizer*                       |
| 0503                               | Sensitivity Solution (6-2.5mL Ampules)*      |
| 0504                               | Fit Test Solution (6-2.5 mL Ampules)*        |
| 0701                               | How To Set Up A Respiratory Program          |
| 0702                               | Qualitative Fit Test Instructions*           |
| 7006                               | 7000/7800/9000 Probed Cartridge Fit Test Kit |
| 8007                               | Alcohol Wipes                                |
| 9700-713                           | Respirator Testing Checklist (BITTER)*       |
| 9700-716                           | Wallet Respirator ID Cards*                  |
| 9700-717                           | Respirator Training Certificates*            |
| 9701-722                           | Respirator Testing Checklist (PortaCount)*   |



\*BITTER Qualitative Fit Test Kit includes all items asterisked



#### **CUSTOMER SERVICE AND TECH SUPPORT**

Whether it's fit testing or product training, the Moldex team is always available to help you address your staff's safety requirements.

Our field and sales teams, customer service and technical support departments are available whenever you need assistance, and our online technical library is available 24/7 at [moldex.com](http://moldex.com).

**For in-depth details or to speak with a  
Moldex representative:**

Tel +1 (800) 421-0668 ext. 550/512

Tel +1 (310) 837-6500 ext. 550/512

Fax +1 (310) 837-9563

[sales@moldex.com](mailto:sales@moldex.com)

[customerservice@moldex.com](mailto:customerservice@moldex.com)

[tech@moldex.com](mailto:tech@moldex.com)

[www.moldex.com](http://www.moldex.com)

# MOLDEx®

## FRONTLINE™

BY MOLDEx®

**U.S.A. & Canada** (Corporate office)

Moldex-Metric, Inc.  
10111 Jefferson Boulevard  
Culver City, California 90232  
TEL: +1 (800) 421-0668  
FAX: +1 (310) 837-9563  
sales@moldex.com

**Brazil**

Rua tucuma 353 sobreloja  
Jardim Europa  
Sao Paulo, SP 01455-010 Brasil  
TEL/FAX: +55 (11) 2659 2108  
moldexbrazil@moldex.com  
moldex.com/pt-br

[moldex.com](http://moldex.com)

**Mexico/Latin America**

Sierra Zimapán #4 Int. 35  
Col. Villas del Sol  
Querétaro, Qro.  
76046, México  
TEL: +52 (442) 234-1230  
FAX: +52 (442) 234-1231  
ventasamlat@moldex.com  
moldex.com/es

**New Zealand**

3 Spence Road  
Henderson, Auckland, NZ  
TEL: +64 027 243 1244  
moldexnz@moldex.com  
moldex.com/nz

Distributed by:

**Moldex Japan K.K.**

FIS Bldg, 403 Shimomaruya-cho,  
Nakagyo-ku, Kyoto, 604-8006  
Japan  
TEL: 011-81757785070  
FAX: 011-81752568657  
moldexjapan@moldex.com

**Australia**

P.O. Box 4086  
Carlingford North, NSW 2118  
TEL: 1300 MOLDEX (1 300 665 339)  
moldexaustralia@moldex.com  
moldex.com/au